



Troop Comforts Limited

A Government of India Enterprise
Ministry of Defence

TCL Corporate Bhawan, G.T. Road, Kanpur, (U.P)-208013
Phone: 0512-2451781-82 | Email: info@troopcomfortslimited.co.in

REGISTRATION CERTIFICATE

This is to certify that M/S POLYNOVA INDUSTRIES LIMITED, 159 CST ROAD, KALINA SANTACRUZ EAST, MUMBAI, Maharashtra, Pin-400098 is registered at Troop Comforts Limited for following Items.

| Sr No | Factory/ Unit | Item Nomenclature | Reg. Date |
|-------|--|---|------------|
| 1 | Ordnance Clothing Factory Avadi | PU COATED NYLON FABRIC IN BLACK COLOUR 150 CMS EXCLUDING SELVEDGES[21] (Specification : PROV/1201905/001(a)) | 15-03-2021 |
| 2 | Ordnance Clothing Factory Avadi | PU Coated Nylon Fabric in Camouflage Design 150 cm Excluding Selvedges[21] (Specification : AS PER ENCLOSED SPECIFICATION) | 15-03-2021 |
| 3 | Ordnance Clothing Factory Shahjahanpur | Fabric Nylon 75GSM WH PU Coated 152cm (IND/TC/0157) | 08-08-2008 |
| 4 | Ordnance Clothing Factory Shahjahanpur | Fabric Nylon Knitted Aluminised 100cm (IND/TC/0161) | 08-08-2008 |
| 5 | Ordnance Clothing Factory Shahjahanpur | Three Layer WP Breathable fabric DS OG/WH 118cm (As per Appendix A of Specn.No.IND/TC/4587) | 08-08-2008 |
| 6 | Ordnance Equipment Factory | BOTH SIDE PVC COATED 650 GSM FIRE RETARDANT FABRIC 150 CM WIDE (As per requirement & specification) | 04-01-2009 |
| 7 | Ordnance Equipment Factory | BOTH SIDE PVC COATED NYLON FABRIC DARK BROWN (SHADE NO. 412 OF IS:5) WIDTH 100 CMS (MATL. WILLBE SUPPD. AS PER APPENDIX-I OF DMSRDE SPECN. NO.) | 04-01-2009 |
| 8 | Ordnance Equipment Factory | BOTH SIDE PVC COATED NYLON FABRIC LIGHT GREEN (SHADE NO. 218 OF IS:5) WIDTH 100 CMS (MATL. WILLBE SUPPD. AS PER APPENDIX-I OF DMSRDE SPECN. NO.) | 04-01-2009 |
| 9 | Ordnance Equipment Factory | BOTH SIDE PVC COATED NYLON FABRIC OLIVE GREEN (SHADE NO. 220 OF IS:5) WIDTH 100 CMS (MATL. WILLBE SUPPD. AS PER APPENDIX-I OF DMSRDE SPECN. NO.) | 04-01-2009 |
| 10 | Ordnance Equipment Factory | BOTH SIDE PVC COATED NYLON FABRIC SAND COLOUR (SHADE NO.388 OF IS:5) WIDTH 100 CMS (MATL. WILLBE SUPPD. AS PER APPENDIX-I OF DMSRDE SPECN. NO.) | 04-01-2009 |
| 11 | Ordnance Equipment Factory | BOTH SIDE PVC COATED NYLON FABRIC WITH F.R. TREATMENT 135 CM WIDE (As per requirement & specification) | 04-01-2009 |
| 12 | Ordnance Equipment Factory | BOTH SIDE PVC COATED POLYESTER FABRIC DARK BROWN (SHADE NO. 412 OF IS:5) WIDTH 100 CMS (MATL. WILLBE SUPPD. AS PER APPENDIX-III OF DMSRDE SPECN.NO.) | 04-01-2009 |
| 13 | Ordnance Equipment Factory | BOTH SIDE PVC COATED POLYESTER FABRIC WHITE WIDTH 100 CMS. (MATL. WILLBE SUPPD. AS PER APPENDIX-III OF DMSRDE SPECN.NO.) | 04-01-2009 |
| 14 | Ordnance Equipment Factory | DRILL COTTON PROOFED WHITE (BLEACHED) 71 CMS. (IND/TC/097 (C)) | 04-01-2009 |
| 15 | Ordnance Equipment Factory | FABRIC NYLON 300 GSM RIPSTOP PU COATED F.R. 152 CMS WIDE (TOLERANCE + 2 CMS AND NO NEGATIVE TOLERANCE) (AS PER SPECN. NO. IND/TC/0155 AND AS PER ANNEXURE - "A" ATTACHED TO SPECN. NO. S/2532/BAG KIT UNIVERSAL (OG)/TC-6(A)) | 04-01-2009 |
| 16 | Ordnance Equipment Factory | FABRIC NYLON 66 BREATHABLE POLY URETHENE COATED DISRUPTIVE ARMY COMOFLAGE PATTERN 180 + 2 CM (NO NEG (CQA (T&C) PROV. SPECN NO. PROV/S/3566/RAIN CAPE MP DIS/TC-15(b) APPENDIX "A" & AS IN TE) | 04-01-2009 |
| 17 | Ordnance Equipment Factory | FABRIC NYLON 75 GMS O.G. POLYURETHANE COATED 100 CM WIDE (DMSRDE/TEX-3(P)/2001/1/(V.NO. 2)) | 04-01-2009 |
| 18 | Ordnance Equipment Factory | FABRIC PP TPO COATED WITH F.R. TREATED FOR FLOORING 115 CM WIDE (As per requirement & specification) | 04-01-2009 |
| 19 | Ordnance Equipment Factory | GROUND SHEET TPO O.G. (IND/TC/2328(b)) | 04-01-2009 |
| 20 | Ordnance Equipment Factory | BOTH SIDE PVC COATED 650 GSM FIRE RETARDANT FABRIC 150 CM WIDE[21] (Specification : As per requirement & specification) | 13-09-2017 |
| 21 | Ordnance Equipment Factory | BOTH SIDE PVC COATED NYLON FABRIC DARK BROWN (SHADE NO. 412 OF IS:5) WIDTH 100 CMS[21] (Specification : MATL. WILLBE SUPPD. AS PER APPENDIX-I OF DMSRDE SPECN. NO.) | 13-09-2017 |
| 22 | Ordnance Equipment Factory | BOTH SIDE PVC COATED NYLON FABRIC LIGHT GREEN (SHADE NO. 218 OF IS:5) WIDTH 100 CMS[21] (Specification : MATL. WILLBE SUPPD. AS PER APPENDIX-I OF DMSRDE SPECN. NO.) | 13-09-2017 |
| 23 | Ordnance Equipment Factory | BOTH SIDE PVC COATED NYLON FABRIC OLIVE GREEN (SHADE NO. 220 OF IS:5) WIDTH 100 CMS[21] (Specification : MATL. WILLBE SUPPD. AS PER APPENDIX-I OF DMSRDE SPECN. NO.) | 13-09-2017 |
| 24 | Ordnance Equipment Factory | BOTH SIDE PVC COATED NYLON FABRIC SAND COLOUR (SHADE NO.388 OF IS:5) WIDTH 100 CMS[21] (Specification : MATL. WILLBE SUPPD. AS PER APPENDIX-I OF DMSRDE SPECN. NO.) | 13-09-2017 |
| 25 | Ordnance Equipment Factory | BOTH SIDE PVC COATED NYLON FABRIC WITH F.R. TREATMENT 135 CM WIDE[21] (Specification : As per requirement & specification) | 13-09-2017 |

| | | | |
|----|----------------------------|--|------------|
| 26 | Ordnance Equipment Factory | BOTH SIDE PVC COATED POLYESTER FABRIC DARK BROWN (SHADE NO. 412 OF IS:5) WIDTH 100 CMS[21] (Specification : MATL. WILLBE SUPP. AS PER APPENDIX-III OF DMSRDE SPECN.NO.) | 13-09-2017 |
| 27 | Ordnance Equipment Factory | BOTH SIDE PVC COATED POLYESTER FABRIC WHITE WIDTH 100 CMS.[21] (Specification : MATL. WILLBE SUPP. AS PER APPENDIX-III OF DMSRDE SPECN.NO.) | 13-09-2017 |
| 28 | Ordnance Equipment Factory | DRILL COTTON PROOFED WHITE (BLEACHED) 71 CMS.[21] (Specification : IND/TC/097 (c)) | 13-09-2017 |
| 29 | Ordnance Equipment Factory | FABRIC NYLON 66 BREATHABLE POLY URETHENE COATED DISRUPTIVE ARMY COMOFLAGE PATTERN 180 + 2 CM (NO NEG[21] (Specification : CQA (T&C) PROV. SPECN NO. PROV/S/3566/RAIN CAPE MP DIS/TC-15(b) APPENDIX "A" & AS IN TE) | 13-09-2017 |
| 30 | Ordnance Equipment Factory | FABRIC NYLON 75 GMS O.G. POLYURETHANE COATED 100 CM WIDE[21] (Specification : DMSRDE/TEX-3(P)/2001/1/(V.NO. 2)) | 13-09-2017 |
| 31 | Ordnance Equipment Factory | FABRIC PP TPO COATED WITH F.R. TREATED FOR FLOORING 115 CM WIDE[21] (Specification : As per requirement & specification) | 13-09-2017 |
| 32 | Ordnance Equipment Factory | GROUND SHEET TPO O.G.[21] (Specification : IND/TC/2328(b)) | 13-09-2017 |
| 33 | Ordnance Equipment Factory | BOTH SIDE PVC COATED 650 GSM FIRE RETARDANT FABRIC 150 CM WIDE[21] (Specification : As per requirement & specification) | 03-10-2018 |
| 34 | Ordnance Equipment Factory | BOTH SIDE PVC COATED NYLON FABRIC DARK BROWN (SHADE NO. 412 OF IS:5) WIDTH 100 CMS[21] (Specification : MATL. WILLBE SUPPD. AS PER APPENDIX-I OF DMSRDE SPECN. NO.) | 03-10-2018 |
| 35 | Ordnance Equipment Factory | BOTH SIDE PVC COATED NYLON FABRIC LIGHT GREEN (SHADE NO. 218 OF IS:5) WIDTH 100 CMS[21] (Specification : MATL. WILLBE SUPPD. AS PER APPENDIX-I OF DMSRDE SPECN. NO.) | 03-10-2018 |
| 36 | Ordnance Equipment Factory | BOTH SIDE PVC COATED NYLON FABRIC OLIVE GREEN (SHADE NO. 220 OF IS:5) WIDTH 100 CMS[21] (Specification : MATL. WILLBE SUPP. AS PER APPENDIX-I OF DMSRDE SPECN. NO.) | 03-10-2018 |
| 37 | Ordnance Equipment Factory | BOTH SIDE PVC COATED NYLON FABRIC SAND COLOUR (SHADE NO.388 OF IS:5) WIDTH 100 CMS[21] (Specification : MATL. WILLBE SUPPD. AS PER APPENDIX-I OF DMSRDE SPECN. NO.) | 03-10-2018 |
| 38 | Ordnance Equipment Factory | BOTH SIDE PVC COATED NYLON FABRIC WITH F.R. TREATMENT 135 CM WIDE[21] (Specification : As per requirement & specification) | 03-10-2018 |
| 39 | Ordnance Equipment Factory | BOTH SIDE PVC COATED POLYESTER FABRIC DARK BROWN (SHADE NO. 412 OF IS:5) WIDTH 100 CMS[21] (Specification : MATL. WILLBE SUPP. AS PER APPENDIX-III OF DMSRDE SPECN.NO.) | 03-10-2018 |
| 40 | Ordnance Equipment Factory | BOTH SIDE PVC COATED POLYESTER FABRIC WHITE WIDTH 100 CMS.[21] (Specification : MATL. WILLBE SUPP. AS PER APPENDIX-III OF DMSRDE SPECN.NO.) | 03-10-2018 |
| 41 | Ordnance Equipment Factory | BREATHABLE RAIN COAT NYLON FABRIC NAVY BLUE 100 CMS. (MIN), 135 + - 10 CMS.[21] (Specification : AS PER REQUIREMENT & SPECIFICATION) | 03-10-2018 |
| 42 | Ordnance Equipment Factory | CLOTH POLYPROPYLENE OG TPO COATING 115 CMS WIDE.[21] (Specification : SPECIFICATION NO: JSS 8305 - 35 : 2014 {7218/PK} EXCEPT THAT) | 03-10-2018 |
| 43 | Ordnance Equipment Factory | DRILL COTTON PROOFED WHITE (BLEACHED) 71 CMS.[21] (Specification : IND/TC/097 (c)) | 03-10-2018 |
| 44 | Ordnance Equipment Factory | FABRIC NYLON 250 GSM PU COATED 120 CMS O.G[21] (Specification : as per requirement) | 03-10-2018 |
| 45 | Ordnance Equipment Factory | FABRIC NYLON 300 GSM RIP STOP PU COATED FR 152 CMS WIDE[21] (Specification : AS PER SPEC) | 03-10-2018 |
| 46 | Ordnance Equipment Factory | FABRIC NYLON 66 AIRTEXTURED PU COATED INDIAN ARMY PRINT 135/136 CMS[21] (Specification : SPECN. NO. IND / TC / 0155 AND AS PER ANNEXURE 'A' ATTACHED) | 03-10-2018 |
| 47 | Ordnance Equipment Factory | FABRIC NYLON 66 BREATHABLE POLY URETHENE COATED DISRUPTIVE ARMY COMOFLAGE PATTERN 180 + 2 CM (NO NEG[21] (Specification : CQA (T&C) PROV. SPECN NO. PROV/S/3566/RAIN CAPE MP DIS/TC-15(b) APPENDIX "A" & AS IN TE) | 03-10-2018 |
| 48 | Ordnance Equipment Factory | FABRIC NYLON 75 GMS O.G. POLYURETHANE COATED 100 CM WIDE[21] (Specification : DMSRDE/TEX-3(P)/2001/1/(V.NO. 2)) | 03-10-2018 |
| 49 | Ordnance Equipment Factory | FABRIC NYLON BLACK 250 GMS P U COATED 172 CMS WIDE.[21] (Specification : Specification No. IND/TC/0155 Except Threads/Cm (As per) | 03-10-2018 |
| 50 | Ordnance Equipment Factory | FABRIC PP TPO COATED WITH F.R. TREATED FOR FLOORING 115 CM WIDE[21] (Specification : As per requirement & specification) | 03-10-2018 |
| 51 | Ordnance Equipment Factory | GROUND SHEET TPO O.G.[21] (Specification : IND/TC/2328(b)) | 03-10-2018 |
| 52 | Ordnance Equipment Factory | NYLON FABRIC 220 GMS O.G. 100 CM WIDE WATER & OIL REPELLENT[21] (Specification : PROV.SPECIFICATION NO.DMSRDE/T&GS/96/431(B)) | 03-10-2018 |
| 53 | Ordnance Equipment Factory | NYLON FABRIC O.G. POLYURETHANE COATED (250 GM/SQR M)91 CM[21] (Specification : SPECN. NO. IND/TC/2314 (a)) | 03-10-2018 |
| 54 | Ordnance Equipment Factory | PVC COATED FR TREATED GREY COLOUR POLYESTER FABRIC 360 GSM 91 CMS[21] (Specification : AS PER APPENDIX "B" ATTACHED TO PROV. SPECN. S/6252/A/TC-6) | 03-10-2018 |

Conditions of Registration: Normal

This Registration has been carried out based on self-declared documents furnished by Vendor.

Changes, if any, in Address or constitution of the Firm, major Machinery/Equipment or Technology should be intimated to the Registration Authority immediately.

The Registration Authority reserves the right to cancel this Registration Certificate at any time.

Registration is valid for five (5) years per cycle and is subject to automatic renewal unless cancelled on account of an administrative reason.

Registration No. : 400098null

(Troop Comforts Limited) (Signature is not required)

URN No. : C17072559135