



Troop Comforts Limited

A Government of India Enterprise
Ministry of Defence

TCL Corporate Bhawan, G.T. Road, Kanpur, (U.P)-208013
Phone: 0512-2451781-82 | Email: info@troopcomfortslimited.co.in

REGISTRATION CERTIFICATE

This is to certify that M/S Gauri Tanners, 92/11, Pech Bagh, Kanpur, UP, Pin-208001 is registered at Troop Comforts Limited for following Items.

Sr No	Factory/ Unit	Item Nomenclature	Reg. Date
1	Ordnance Equipment Factory	BUFF. VEGETABLE INSOLE FOR BOOT DVS IN VARIOUS SIZES (AS PER REQUIREMENT & SPECIFICATION)	03-03-2009
2	Ordnance Equipment Factory	BUFF. VEGETABLE TANNED CRUST LEATHER (HARNESS QUALITY) VARIOUS (AS PER REQUIREMENT & SPECIFICATION)	03-03-2009
3	Ordnance Equipment Factory	BUFF. WET BLUE LEATHER SPLITTED TO 2.5MM THICKNESS (AS PER REQUIREMENT & SPECIFICATION)	03-03-2009
4	Ordnance Equipment Factory	BUFFALLOW HIDE (SHE CLASS) VARIOUS (AS PER REQUIREMENT & SPECIFICATION)	03-03-2009
5	Ordnance Equipment Factory	COMBINATION TD. LINING LEATHER BLACK, THICKNESS 0.8/1.0MM (IS: 3940, TYPE-1 1979)	03-03-2009
6	Ordnance Equipment Factory	EYELETTED CLOSED UPPER FOR BOOT ANKLE DVS IN VARIOUS SIZES (AS PER REQUIREMENT & SPECIFICATION)	03-03-2009
7	Ordnance Equipment Factory	EYELETTED CLOSED UPPER FOR DERBY SHOE IN VARIOUS SIZES (AS PER REQUIREMENT & SPECIFICATION)	03-03-2009
8	Ordnance Equipment Factory	EYELETTED CLOSED UPPER FOR ELECTRICAL SAFETY SHOE IN VARIOUS SIZES (AS PER REQUIREMENT & SPECIFICATION)	03-03-2009
9	Ordnance Equipment Factory	EYELETTED CLOSED UPPER FOR HIGH ANKLE BOOT IN VARIOUS SIZES (AS PER REQUIREMENT & SPECIFICATION)	03-03-2009
10	Ordnance Equipment Factory	EYELETTED CLOSED UPPER WITH TOE PUFF AND COUNTER STIFFNER FOR HIGH ANKLE BOOT IN VARIOUS SIZES (AS PER REQUIREMENT & SPECIFICATION)	03-03-2009
11	Ordnance Equipment Factory	FULL SOCKS LEATHER WITH EVA CUSION IN VARIOUS SIZES (AS PER REQUIREMENT & SPECIFICATION)	03-03-2009
12	Ordnance Equipment Factory	GOAT SKIN CHROME TANNED CRUST (AS PER REQUIREMENT & SPECIFICATION)	03-03-2009
13	Ordnance Equipment Factory	HIDE "A" CLASS LIMED WEIGHT 10-18 KGS. (AS PER SPECN. NO. QA/RH/6/C)	03-03-2009
14	Ordnance Equipment Factory	LASTED CLOSED UPPER FOR BOOT ANKLE DVS IN VARIOUS SIZES (AS PER REQUIREMENT & SPECIFICATION)	03-03-2009
15	Ordnance Equipment Factory	LASTED CLOSED UPPER FOR BOOT NAVY IN VARIOUS SIZES (AS PER REQUIREMENT & SPECIFICATION)	03-03-2009
16	Ordnance Equipment Factory	LASTED CLOSED UPPER FOR BOOT PARATROOPERS IN VARIOUS SIZES (AS PER REQUIREMENT & SPECIFICATION)	03-03-2009
17	Ordnance Equipment Factory	LASTED CLOSED UPPER FOR DERBY SHOE IN VARIOUS SIZES (AS PER REQUIREMENT & SPECIFICATION)	03-03-2009
18	Ordnance Equipment Factory	LASTED CLOSED UPPER FOR ELECTRICAL SAFETY SHOE IN VARIOUS SIZES (AS PER REQUIREMENT & SPECIFICATION)	03-03-2009
19	Ordnance Equipment Factory	LASTED CLOSED UPPER FOR HIGH ANKLE BOOT IN VARIOUS SIZES (AS PER REQUIREMENT & SPECIFICATION)	03-03-2009
20	Ordnance Equipment Factory	LASTED CLOSED UPPER FOR SAFETY SHOE IN VARIOUS SIZES (AS PER REQUIREMENT & SPECIFICATION)	03-03-2009
21	Ordnance Equipment Factory	LASTED CLOSED UPPER FOR SHOE OXFORD IN VARIOUS SIZES (AS PER REQUIREMENT & SPECIFICATION)	03-03-2009
22	Ordnance Equipment Factory	LEA. BUFF. VEG. TD. SOLE SIDES (LIGHT) LIGHT TRADE THICKNESS 3.5 to 4.25 MM (IS: 579 (Pt.-I) - 1973)	03-03-2009
23	Ordnance Equipment Factory	LEATHER BUFF. CHROME TANNED SIDE BLACK FOOT BALL PRINT (AS PER REQUIREMENT & SPECIFICATION)	03-03-2009
24	Ordnance Equipment Factory	LEATHER BUFF. VEGETABLE TANNED SOLE BEND, THICKNESS 3.5 TO 4.0 MM. DIMENSIONS LENGTH (MIN.) 1050 MM (IS: 579 (PART I) - 1973)	03-03-2009
25	Ordnance Equipment Factory	LEATHER BUFF. WET BLUE FOR ZUGGRAIN (QA/L/Wet/BUC/Buf. date 10.06.97)	03-03-2009
26	Ordnance Equipment Factory	LEATHER CHROME TANNED SIDE BLACK PLAIN VARIOUS (AS PER REQUIREMENT & SPECIFICATION)	03-03-2009

27	Ordnance Equipment Factory	LEATHER CHROME TANNED ZUGGRAIN various (AS PER REQUIREMENT & SPECIFICATION)	03-03-2009
28	Ordnance Equipment Factory	LEATHER LINING BLACK COMBINATION TANNED PRINTED DRY MILLED (IS:3840-1996 TYPE - 1)	03-03-2009
29	Ordnance Equipment Factory	LEATHER LINING COMBINATION TANNED VARIOUS (AS PER REQUIREMENT & SPECIFICATION)	03-03-2009
30	Ordnance Equipment Factory	NON LACQUERED WHITE PIGMENTED C.T. GOAT FINISHED LEATHER (AS PER REQUIREMENT & SPECIFICATION)	03-03-2009
31	Ordnance Equipment Factory	SHEEP SKIN BARK TANNED (AS PER REQUIREMENT & SPECIFICATION)	03-03-2009
32	Ordnance Equipment Factory	SHEEP/GOAT SKIN CHROME TANNED WET BLUE (FOR GLOVING) VARIOUS (AS PER REQUIREMENT & SPECIFICATION)	03-03-2009
33	Ordnance Equipment Factory	SHEEP/GOAT SKIN COMBINATION TANNED VARIOUS (AS PER REQUIREMENT & SPECIFICATION)	03-03-2009
34	Ordnance Equipment Factory	SHEEP/GOAT SKIN LIMED (AS PER REQUIREMENT & SPECIFICATION)	03-03-2009
35	Ordnance Equipment Factory	Wet Blue for Lining Leather (QA/L/WET BLUE/BUFF(Lining) date 19.05.2009)	03-03-2009
36	Ordnance Equipment Factory	CHROME TANNED BLACK BUFF DIN APOLLO LEATHER EMBOSSED FULL GRAIN LEATHER, THICKNESS 2.0 +-0.2MM (IS:5677-1986, AMDT 1, RA 2009 AND APPENDIX 'A' OF THE SPECIFICATION IND/TC/3847(A))	12-04-2025
37	Ordnance Equipment Factory	CHROME TANNED BLACK FULL GRAIN GLOSSY PLAIN LEATHER FOR TOE CAP, THICKNESS: 1.4-1.6 MM (IS:5677-1986,AMD T 1, RA 2009 AND APPENDIX A` OF THE SPECIFICATION IND/TC/3847(A))	12-04-2025
38	Ordnance Equipment Factory	SOFT PLAIN LEATHER THICKNESS: 1.0 +- 0.2 MM (IS:5677-1986, AMDT 1, RA 2009 AND APPENDIX `A` OF THE SPECIFICATION IND/TC/3847(A))	12-04-2025
39	Ordnance Equipment Factory	BUFF. VEGETABLE INSOLE FOR BOOT DVS IN VARIOUS SIZES[21] (Specification : AS PER REQUIREMENT & SPECIFICATION)	06-04-2018
40	Ordnance Equipment Factory	BUFF. VEGETABLE TANNED CRUST LEATHER (HARNESS QUALITY) VARIOUS[21] (Specification : AS PER REQUIREMENT & SPECIFICATION)	06-04-2018
41	Ordnance Equipment Factory	BUFF. WET BLUE LEATHER SPLITTED TO 2.5MM THICKNESS[21] (Specification : AS PER REQUIREMENT & SPECIFICATION)	06-04-2018
42	Ordnance Equipment Factory	BUFFALLOW HIDE (SHE CLASS) VARIOUS[21] (Specification : AS PER REQUIREMENT & SPECIFICATION)	06-04-2018
43	Ordnance Equipment Factory	COMBINATION TD. LINING LEATHER BLACK, THICKNESS 0.8/1.0MM[21] (Specification : IS: 3940, TYPE-1 1979)	06-04-2018
44	Ordnance Equipment Factory	EYELETTED CLOSED UPPER FOR BOOT ANKLE DVS IN VARIOUS SIZES[21] (Specification : AS PER REQUIREMENT & SPECIFICATION)	06-04-2018
45	Ordnance Equipment Factory	EYELETTED CLOSED UPPER FOR DERBY SHOE IN VARIOUS SIZES[21] (Specification : AS PER REQUIREMENT & SPECIFICATION)	06-04-2018
46	Ordnance Equipment Factory	EYELETTED CLOSED UPPER FOR ELECTRICAL SAFETY SHOE IN VARIOUS SIZES[21] (Specification : AS PER REQUIREMENT & SPECIFICATION)	06-04-2018
47	Ordnance Equipment Factory	EYELETTED CLOSED UPPER FOR HIGH ANKLE BOOT IN VARIOUS SIZES[21] (Specification : AS PER REQUIREMENT & SPECIFICATION)	06-04-2018
48	Ordnance Equipment Factory	EYELETTED CLOSED UPPER WITH TOE PUFF AND COUNTER STIFFNER FOR HIGH ANKLE BOOT IN VARIOUS SIZES[21] (Specification : AS PER REQUIREMENT & SPECIFICATION)	06-04-2018
49	Ordnance Equipment Factory	FULL SOCKS LEATHER WITH EVA CUSION IN VARIOUS SIZES[21] (Specification : AS PER REQUIREMENT & SPECIFICATION)	06-04-2018
50	Ordnance Equipment Factory	GOAT SKIN CHROME TANNED CRUST[21] (Specification : AS PER REQUIREMENT & SPECIFICATION)	06-04-2018
51	Ordnance Equipment Factory	HIDE [21] (Specification : AS PER SPECN. NO. QA/RH/6/C)	06-04-2018
52	Ordnance Equipment Factory	LASTED CLOSED UPPER FOR BOOT ANKLE DVS IN VARIOUS SIZES[21] (Specification : AS PER REQUIREMENT & SPECIFICATION)	06-04-2018
53	Ordnance Equipment Factory	LASTED CLOSED UPPER FOR BOOT NAVY IN VARIOUS SIZES[21] (Specification : AS PER REQUIREMENT & SPECIFICATION)	06-04-2018
54	Ordnance Equipment Factory	LASTED CLOSED UPPER FOR BOOT PARATROOPERS IN VARIOUS SIZES[21] (Specification : AS PER REQUIREMENT & SPECIFICATION)	06-04-2018
55	Ordnance Equipment Factory	LASTED CLOSED UPPER FOR DERBY SHOE IN VARIOUS SIZES[21] (Specification : AS PER REQUIREMENT & SPECIFICATION)	06-04-2018
56	Ordnance Equipment Factory	LASTED CLOSED UPPER FOR ELECTRICAL SAFETY SHOE IN VARIOUS SIZES[21] (Specification : AS PER REQUIREMENT & SPECIFICATION)	06-04-2018
57	Ordnance Equipment Factory	LASTED CLOSED UPPER FOR HIGH ANKLE BOOT IN VARIOUS SIZES[21] (Specification : AS PER REQUIREMENT & SPECIFICATION)	06-04-2018

58	Ordnance Equipment Factory	LASTED CLOSED UPPER FOR SAFETY SHOE IN VARIOUS SIZES[21] (Specification : AS PER REQUIREMENT & SPECIFICATION)	06-04-2018
59	Ordnance Equipment Factory	LASTED CLOSED UPPER FOR SHOE OXFORD IN VARIOUS SIZES[21] (Specification : AS PER REQUIREMENT & SPECIFICATION)	06-04-2018
60	Ordnance Equipment Factory	LEA. BUFF. VEG. TD. SOLE SIDES (LIGHT) LIGHT TRADE THICKNESS 3.5 to 4.25 MM[21] (Specification : IS: 579 (Pt.-I) - 1973)	06-04-2018
61	Ordnance Equipment Factory	LEATHER BUFF. CHROME TANNED SIDE BLACK FOOT BALL PRINT[21] (Specification : AS PER REQUIREMENT & SPECIFICATION)	06-04-2018
62	Ordnance Equipment Factory	LEATHER BUFF. VEGETABLE TANNED SOLE BEND, THICKNESS 3.5 TO 4.0 MM. DIMENSIONS LENGTH (MIN.) 1050 MM[21] (Specification : IS: 579 (PART I) - 1973)	06-04-2018
63	Ordnance Equipment Factory	LEATHER BUFF. WET BLUE FOR ZUGGRAIN[21] (Specification : QA/L/Wet/BUC/Buf. date 10.06.97)	06-04-2018
64	Ordnance Equipment Factory	LEATHER CHROME TANNED SIDE BLACK PLAIN VARIOUS[21] (Specification : AS PER REQUIREMENT & SPECIFICATION)	06-04-2018
65	Ordnance Equipment Factory	LEATHER CHROME TANNED ZUGGRAIN various[21] (Specification : AS PER REQUIREMENT & SPECIFICATION)	06-04-2018
66	Ordnance Equipment Factory	LEATHER LINING BLACK COMBINATION TANNED PRINTED DRY MILLED[21] (Specification : IS: 3840-1996 TYPE - 1)	06-04-2018
67	Ordnance Equipment Factory	LEATHER LINING COMBINATION TANNED VARIOUS[21] (Specification : AS PER REQUIREMENT & SPECIFICATION)	06-04-2018
68	Ordnance Equipment Factory	NON LACQUERED WHITE PIGMENTED C.T. GOAT FINISHED LEATHER[21] (Specification : AS PER REQUIREMENT & SPECIFICATION)	06-04-2018
69	Ordnance Equipment Factory	SHEEP SKIN BARK TANNED[21] (Specification : AS PER REQUIREMENT & SPECIFICATION)	06-04-2018
70	Ordnance Equipment Factory	SHEEP/GOAT SKIN CHROME TANNED WET BLUE (FOR GLOVING) various[21] (Specification : AS PER REQUIREMENT & SPECIFICATION)	06-04-2018
71	Ordnance Equipment Factory	SHEEP/GOAT SKIN COMBINATION TANNED VARIOUS[21] (Specification : AS PER REQUIREMENT & SPECIFICATION)	06-04-2018
72	Ordnance Equipment Factory	SHEEP/GOAT SKIN LIMED[21] (Specification : AS PER REQUIREMENT & SPECIFICATION)	06-04-2018
73	Ordnance Equipment Factory	Wet Blue for Lining Leather[21] (Specification : QA/L/WET BLUE/BUFF(Lining) date 19.05.2009)	06-04-2018

Registration No. : 208001null

Conditions of Registration: Normal

This Registration has been carried out based on self-declared documents furnished by Vendor.

Changes, if any, in Address or constitution of the Firm, major Machinery/Equipment or Technology should be intimated to the Registration Authority immediately.

The Registration Authority reserves the right to cancel this Registration Certificate at any time.

Registration is valid for five (5) years per cycle and is subject to automatic renewal unless cancelled on account of an administrative reason.

(Troop Comforts Limited) (Signature is not required)