



S.No	ITEM	MANUFACTURING PLANT & MACHINERY		TEST EQUIPMENTS	
		Essential	Desirable	Essential	Desirable
1	<p>Wett Knitted Single Jersey 100% Polyester 225-240 GSM</p> <p>Pantone Shade No: 18-4043 TCX (Place Blue) 160 cm width &</p> <p>Flat bed Wett Knitted 100% Polyester (1x1 Rib) Pantone Shade no, 18-4043 TCX (Palace Blue) (To be supplied in specified length and width as per Collar Size requirement)</p>	<ul style="list-style-type: none"> Wett Knitting (Circular) Wett Knitting (Flat bed) Stenter Padding Mangle HTHP/jet Dyeing (if fabric dyed) 	<p>Dye Sublimation printing OR Direct to Film (DTF) method</p>	<p>Facility for testing:</p> <ul style="list-style-type: none"> Blend. Yarn Count. Construction Twist. GSM. Bursting. Pilling. Shrinkage. Water absorbency pH Value Water soluble matter. Conditioning chamber 	<p>Facility for testing:</p> <ul style="list-style-type: none"> Abrasion Fuzziness Rating Colour fastness to light/wash/perspiration/Rubbing/hot press. Glaze and fading. Antimicrobial. Oily soil stain release. Stretch and recovery. Air permeability. MVTR. Wicking Anti static properties Type/nature of dye Delta E Bowness and skewness <p>Note: Outsourcing arrangement with NABL accredited lab is allowed for the test parameters not available in-house. Firm shall submit a letter are undertaking testing of samples received from the firm and the test parameter is within their scope of accreditation.</p>


 (A.M. BALAJI)
 JWM/PS-4

OL
 (VIJAYALAKSHMI VENKATESAN)
 MANAGER


 (KRISHNAMURTHI S)
 JWM/R&D


 (GARIVVA SINGH)
 SR. MANAGER


 (S RUTHIRAVELAN)
 JWM/SG/DA(LAB)